

Literaturliste

Risiko: Mitochondriale Dysfunktion

Heike Lück-Knobloch

Erschienen in der CO.med 5/2019, S. 52ff.

- [1] Czarny P, Wigner P, Galecki P et al.: The interplay between inflammation, oxidative stress, DNA damage, DNA repair and mitochondrial dysfunction in depression. *Prog Neuropsychopharmacol Bio Psychiatry*. 2018 Jan 3;80(Pt C):309-321.
- [2] Teodoro JS, Nunes S, Rolo AP et al.: Therapeutic options targeting oxidative stress, mitochondrial dysfunction and inflammation to hinder the progression of vascular complications of Diabetes. *Front Physiol*. 2018;9:1857.
- [3] Zinovkin RA, Zamyatnin AA: Mitochondria-Targeted drugs. *Curr Mol Pharmacol*. 2018 Nov 27. doi: 10.2174/1874467212666181127151059.
- [4] Haschka D, Volani C, Stefani A et al.: Association of mitochondrial iron deficiency and dysfunction with idiopathic restless legs syndrome. *Mov Disord*. 2019 Jan;34(1):114-123.
- [5] http://www.wissenschaftliche-verlagsgesellschaft.de/uploads/tx_crondavtitel/datei-datei/9783804737198_p.pdf, abgerufen am 08.02.2019.
- [6] Khuankaew C, Apaijai N, Sawaddiruk P et al.: Effect of coenzyme Q10 on mitochondrial respiratory proteins in trigeminal neuralgia. *Free Radic Res*. 2018 Apr;52(4):415-425.
- [7] Picca A, Calvani R, Leeuwenburgh C et al.: Targeting mitochondrial quality control for treating sarcopenia: lessons from physical exercise. *Expert Opin Targets*. 2018 Dec 22:1-8.
- [8] Teran E, Hernández I, Tana L et al.: Mitochondria and Coenzyme Q10 in the pathogenesis of preeclampsia. *Front Physiol*. 2018 Nov 15;9:1561.
- [9] Erb C, Konieczka K: Mitochondriale Dysfunktion und Bedeutung von Coenzym Q10 beim Glaukom. *Klin Monatsbl Augenheilkd* 2018; 235(02):157-162.
- [10] http://www.wissenschaftliche-verlagsgesellschaft.de/uploads/tx_crondavtitel/datei-datei/9783804737198_p.pdf, abgerufen am 08.02.2019.
- [11] Arveladze G et al., Mitochondrial Dysfunction: Modern Aspects of Therapy (Review). *Georgian Med News*. 2015 Jul-Aug;(244-245):8-84.
- [12] Burgerstein L, Zimmermann M, Schurgast H et al.; Burgersteins Handbuch Nährstoffe, 9., Auflage 2000, Karl F. Haug Verlag in MVH Medizinverlage Heidelberg GmbH & Co. KG.
- [13] Gröber, Uwe; Mikronährstoffe in der Orthomolekularen Medizin, Wissenschaftliche Verlagsges. mbH, Stuttgart, 2002.
- [14] http://www.mikronaehrstoff.de/pdf/Groe_Mitotox_von%20Arzneimitteln_MMP_2012.pdf, abgerufen am 08.02.2019.
Gröber, Uwe: Mitochondriale Toxizität von Arzneimitteln, MMP 35. Jahrgang 12/2012, Deutscher Apotheker Verlag.
- [15] Suzy Cohen. *Drug Muggers. Which medications are robbing your body of essential nutrients and natural ways to restore them.* Rodale Books New York ISBN 978-1-60529-415-5 Page 123-131 (2011).
- [16] Sood B, Keenaghan M: Coenzyme Q10. Last Update Oct. 6, 2018. StatPearls Publishing. NCBI Bookshelf. A service of the National Library of Medicine, National Institutes of Health. (<https://www.ncbi.nlm.nih.gov/books/NBK531491/>)
- [17] Zhai J, Bo Y, Lu Y et al.: Effects of coenzyme Q10 on markers of inflammation: A systematic review and meta-analysis. *PloS One*. 2017 Jan 26;12(1):e0170172.

- [18] Fan, L., Feng, Y, Chen, GC.; et. al.: Effects of coenzyme Q10 supplementation on inflammatory markers: A systematic review and meta-analysis of randomized controlled trials. *Pharmacol Res.* 2017 May;119:128-136.
- [19] Mazidi M, Kengne AP, Banach M et al.: Effects of coenzyme Q10 supplementation on plasma C-reactive protein concentrations: A systematic review and meta-analysis of randomized controlled trials. *Pharmacol Res.* 2017 Aug 25. doi: 10.1016/j.phrs.2017.08.011.
- [20] Dahri M, Tarighat-Esfanjani A, Asghari-Jafarabadi M et al.: Oral coenzyme Q10 supplementation in patients with migraine: Effects on clinical features and inflammatory markers. *Nutr Neurosci.* 2018 Jan 3:1-9.
- [21] <https://uni-tuebingen.de/newsfullview-landingpage/article/parkinson-vitamin-b3-hat-positive-wirkung-auf-geschaedigte-nervenzellen.html>, abgerufen am 07.02.2019.
- [22] Morris G, Anderson G, Berk M et al.: Coenzyme Q10 depletion in medical and neuropsychiatric disorders: Potential repercussions and therapeutic implications. *Mol Neurobiol.* 2013 Dec;48(3):883-903.
- [23] Kabra A, Sharma R, Kabra R et al.: Emerging and alternative therapies for Parkinson disease: An updated review. *Curr Pharm Des.* 2018;24(22):2573-2582.
- [24] Cordero MD et al., Mitochondrial dysfunction and mitophagy activation in blood mononuclear cells of fibromyalgia patients: implications in the pathogenesis of the disease. *Arthritis Res Ther.* 2010;12(1):R17.
- [25] Cordero MD et al., Coenzyme Q10 distribution in blood is altered in patients with fibromyalgia. *Clin. Biochem.* 2009 May;42(7-8):732-5.
- [26] Miyamae T et al., Increased oxidative stress and coenzyme Q10 deficiency in juvenile fibromyalgia: amelioration of hypercholesterolemia and fatigue by ubiquinol-10 supplementation. *Redox Rep.* 2013;18(1):12-9.
- [27] Alcocer-Gómez E et al., Effect of coenzyme Q10 evaluated by 1990 and 2010 ACR Diagnostic Criteria for Fibromyalgia and SCL-90-R: Four case reports and literature review. *Nutrition.* 2013 Nov-Dec;29(11-12):1422-5.
- [28] Cordero MD et al., Oral coenzyme Q10 supplementation improves clinical symptoms and recovers pathologic alterations in blood mononuclear cells in a fibromyalgia patient. *Nutrition.* 2012 Nov-Dec;28(11-12):1200-3.
- [29] Cordero MD et al., Oxidative stress correlates with headache symptoms in fibromyalgia: coenzyme Q10 effect on clinical improvement. *PLoS One.* 2012;7(4):e35677.
- [30] Abdullah M et al., Mitochondrial myopathy presenting as fibromyalgia: a case report. *J Med Case Rep.* 2012 Feb 10;6(1):55.
- [31] Cordero MD et al., Coenzyme Q(10): a novel therapeutic approach for Fibromyalgia? case series with 5 patients. *Mitochondrion.* 2011 Jul;11(4):623-5.
- [32] Lister RE. An open, pilot study to evaluate the potential benefits of coenzyme Q10 combined with Ginkgo biloba extract in fibromyalgia syndrome. *J Int Med Res.* 2002 Mar-Apr;30(2):195-9.
- [33] Cordero MD et al., Can coenzyme q10 improve clinical and molecular parameters in fibromyalgia? *Antioxid Redox Signal.* 2013 Oct 20;19(12):1356-61.
- [34] Filler K, Lyon D, Bennett J et al.: Association of mitochondrial dysfunction and fatigue: A review of the literature. *BBA Clin.* 2014 Jun 1;1:12-23.
- [35] Qu H, Guo M, Chai H et al.: Effects of coenzyme Q10 on statin-induced myopathy: An updated meta-analysis of randomized controlled trials. *J Am Heart Assoc.* 2018 Oct 2;7(19):e009835.
- [36] van Diemen MPJ: Validation of a pharmacological model for mitochondrial dysfunction in healthy subjects using simvastatin. *Eur J Pharmacol.* 2017 Nov 15;815:290-297. <https://www.apotheke-adhoc.de/branchennews/alle-branchennews/branchennews-detail/kaneka-pharma-europe-nv-ubiquinol-hilft-bei-statin-induzierter-mitochondriopathie/>, abgerufen am 25.01.2019.

- [37] http://www.mikronaehrstoff.de/pdf/Groe_Mitotox_von%20Arzneimitteln_MMP_2012.pdf, abgerufen am 08.02.2019.
- [38] Dahri M, Tarighat-Esfanjani A, Asghari-Jafarabadi M et al.: Oral coenzyme Q10 supplementation in patients with migraine: Effects on clinical features and inflammatory markers. *Nutr Neurosci*. 2018 Jan 3:1-9.
- [39] Khuankaew C, Apaijai N, Sawaddiruk P et al.: Effect of coenzyme Q10 on mitochondrial respiratory proteins in trigeminal neuralgia. *Free Radic Res*. 2018 Apr;52(4):415-425.
- [40] Erb C, Konieczka K: Mitochondriale Dysfunktion und Bedeutung von Coenzym Q10 beim Glaukom. *Klin Monatsbl Augenheilkd* 2018; 235(02):157-162.
- [41] Gholami M, Rezvanfar MR, Delavar M et al.: Effects of coenzyme Q10 supplementation on serum values of gamma-glutamyl transferase, pseudocholinesterase, bilirubin, ferritin, and high-sensitivity c-reactive protein in women with type 2 diabetes. *Exp Clin Endocrinol Diabetes*. 2018 Jan 24. doi: 10.1055/s-0043-124183.
- [42] Zarei P, Rezvanfar MR, Ansarihadipour H et al.: Effects of coenzyme Q10 supplementation on the serum levels of amylase, adenosine deaminase, catalase, and total antioxidant capacity in women with type 2 diabetes mellitus: A randomized, double-blind, placebo-controlled trial. *J Res Med Sci*. 2018 Oct 26;23-91.
- [43] Huang H, Chi H, Liao D et al.: Effects of coenzyme Q10 on cardiovascular and metabolic biomarkers in overweight and obese patients with type 2 diabetes mellitus: A pooled analysis. *Diabetes Metab Syndr Obes*. 2018 Nov 29;11:875-886.
- [44] Teran E, Hernández I, Tana L et al.: Mitochondria and Coenzyme Q10 in the pathogenesis of preeclampsia. *Front Physiol*. 2018 Nov 15;9:1561.
- [45] Farsi F et al., Functions of Coenzyme Q10 Supplementation on Liver Enzymes, Markers of Systemic Inflammation, and Adipokines in Patients Affected by Nonalcoholic Fatty Liver Disease: A Double-Blind, Placebo-Controlled, Randomized Clinical Trial. *J Am Coll Nutr*. 2015 Jul 9:1-8.
- [46] Ben-Meir A et al., Coenzyme Q10 restores oocyte mitochondrial function and fertility during reproductive aging. *Aging cell*. 2015 Jun 26. doi: 10.1111/accel.12368.
- [47] Maguire A, Hargreaves A, Gill M: Coenzyme Q10 and neuropsychiatric and neurological disorders: Relevance for schizophrenia. *Nutr Neurosci*. 2018 Dec 12:1-14.
- [48] de la Mata M et al., Pharmacological Chaperones and Coenzyme Q10 Treatment Improves Mutant β -Glucocerebrosidase Activity and Mitochondrial Function in Neuronopathic Forms of Gaucher Disease. *Sci Rep*. 2015 Jun 5;5:10903.
- [49] Vitetta L, Leong A, Zhou J et al.: The plasma bioavailability of coenzyme Q10 absorbed from the gut and the oral mucosa. *J Funct Biomater*. 2018 Dec 15;9(4).
- [50] López-Lluch G, Del Pozo-Cruz J, Sánchez-Cuesta A et al.: Bioavailability of coenzyme Q10 supplements depends on carrier lipids and solubilization. *Nutrition*. 2019 Jan;57:133-140.
- [51] <https://de.marketscreener.com/WACKER-CHEMIE-AG-488289/news/SupplySide-West-2018-Sporternahrung-WACKER-geht-mit-leistungstarken-Inhaltsstoffen-an-den-Markt-27553305/>, abgerufen am 04.02.2019.
- [52] Terao et al., 2006: K. Terao, D. Nakata, H. Fukumi et al., Enhancement of oral bioavailability of coenzyme Q10 by complexation with γ -cyclodextrin in healthy adults, *Nutrition Research*, vol. 26, no. 10, pp. 503–508, 2006. https://www.wacker.com/cms/media/publications/downloads/6815_EN.pdf, abgerufen am 04.02.2019.
- [53] Nemzer BV, Fink N, Fink B: New insights on effects of a dietary supplement on oxidative and nitrosative stress in humans. *Food Sci Nutr*. 2014 Nov; 2(6): 828-839.
- [54] Serino A, Salazar G: Protective role of polyphenols against vascular inflammation, aging and cardiovascular disease. *Nutrients* 2019, 11(1), 53.
- [55] https://www.vfed.de/media/medien/vfedaktuell_161_titelthema_6bdec.pdf, abgerufen am 13.02.2019.

- [56] Das A, Datta S, Rhea B et al.: The human skeletal muscle transcriptome in response to oral shilajit supplementation. *J Med Food*. 2016 Jul 1; 19(7): 701-709.
- [57] Stohs SJ: Safety and efficacy of shilajit (mumie, moomiyo). *Phytother Res*. 2014 Apr;28(4):475-9.
- [58] Kizaibek M: Research advances of Tasmayi. *Zhongguo Zhong Yao Za Zhi*. 2013 Feb;38(3):443-8.
- [59] Surapaneni DK, Adapa SR, Preeti K et al.: Shilajit attenuates behavioral symptoms of chronic fatigue syndrome by modulating the hypothalamic-pituitary-adrenal axis and mitochondrial bioenergetics in rats. *J Ethnopharmacol*. 2012 Aug 30;143(1):91-9.
- [60] López-Domènech S, Abad-Jiménez Z, Iannantuoni F et al.: Moderate weight loss attenuates chronic endoplasmic reticulum stress and mitochondrial dysfunction in human obesity. *Mol Metab*. 2019 Jan;19:24-33.
- [61] Tanaka T, Nishimura A, Nishiyama K et al.: Mitochondrial dynamics in exercise physiology. *Pflugers Arch*. 2019 Feb 1. doi: 10.1007/s00424-019-02558-3.
- [62] Morris G, Berk M, Maes M et al.: Socioeconomic deprivation, adverse childhood experiences and medical disorders in adulthood: Mechanisms and associations. *Mol Neurobiol*. 2019 Jan 26. doi: 10.1007/s12035-019-1498-1.